

SABRE 48 SALON EXPRESS 2025 MODEL YEAR

Length Overall	52' 3"	15.93 m
Hull Length	47' 6"	14.48 m
Beam (overall)	15' 4"	4.67 m
Draft	4' 1"	1.24 m
Deadrise (at transom)	16 degrees	
Displacement (half load)	37,500 lbs	17,010 kg
Fuel capacity	525 usg	1892 L
Water capacity	160 usg	606 L
Holding tank capacity	70 usg	265 L
Headroom (maximum)	6' 6"	1.98 m
Sleep accommodations	6@6' 6"	6@1.98 m
Air draft (w/mast) 14' 2"		4.32 m

Built to CE Category B, NMMA, ABYC and USCG standards.

HULL

- Deep "V" Planing hull design
- 14° deadrise at the transom, 23° deadrise amidships.
- ISO NPG white gelcoat w/vinylester backup resin.
- Bottom, topsides and transom VIP resin infused biaxial E-glass with Corecell SAN foam core.
- Stringer system biaxial E-glass with foam core.
- Resin Infused E-glass swim platform with the molded-in anti-skid surface.
- Hull side rubbing strakes.
- PVC rub rail with stainless steel cap.
- Painted (Urethane) double boot top.
- Gold recessed cove stripe.

DECK & HARDTOP COMPOSITE

- ISO NPG gelcoat.
- VIP resin infused biaxial E-glass with balsa core.
- Molded-in anti-skid deck surfaces.
- Electric opening window in salon aft bulkhead.
- Flush, outward opening, transom door with latch.
- Anchor locker with slam latch.
- Large lazarette/engine room access hatch in cockpit sole
- Integrated Sure Shade system over cockpit

DECK HARDWARE

- 1 1/4" Diameter type 316 stainless steel perimeter rail system.
- (6) 12" Stainless steel cleats: two forward, four midship.
- (2) Stainless steel bollard cleats aft
- (2) Stainless 12" cleats on cockpit coaming on centerline
- (1) 10" Stainless steel cleat to starboard of windlass as anchor rode tie off.
- (4) Custom cast stainless steel mid-rail line chocks.
- (2) Custom cast stainless steel skene chocks forward.
- Custom stainless steel bow pulpit with dual anchor roller for 44# CQR or Delta anchor and "lunch hook."

- Quick anchor windlass, electric rope-chain type.
- Varnished teak flagstaff and socket on taffrail.
- Bugee staff on the bow pulpit.
- (6) Low-profile stainless steel hatches w/screens.
- Single-glazed salon windows.
- (6) Custom stainless steel opening port lights.
- Teak toe rails.
- Teak cabin-side eyebrow.
- Teak table in cockpit
- Custom stainless steel "SABRE" logo.
- Raw water washdown system at the bow.

HELM STATION

- Hinged access door to starboard side deck.
- Dual Volvo-Garmin 9219 Multi-Function Displays (MFDs) w/ Separate SD Card Readers.
- Volvo-Penta Autopilot w/ Joystick Driving.
- Volvo-Penta IPS Plus Joystick Controller on Stidd Armrest.
- Twin Lever Shift & Throttle Control (EVC-E) w/ Single Lever & Cruise Control Software.
- Triple windshield wipers w/ multiple speed settings.
- Windshield washers plumbed from the freshwater system.
- Ritchie Compass.
- Switch controls for horn, running lights, anchor light, engine room blowers, & bilge pumps.
- Custom teak steering wheel w/ tilt helm & Sabre logo.
- Twin Stidd N Series helm seats w/ Ultraleather® fabric mounted on a cherry cabinet
- NMEA 2000 backbone

STD. VOLVO PROPULSION SYSTEM & ENGINE ROOM

- Twin Volvo-Penta IPS 700 inboard propulsion systems w/ 24v electric shift transmissions & NiBrAl P-series duo-props
- Tier III emission certified.
- Pleasure craft rated VP D8, 550mhp @ 2900rpm engines.
- Integrated freshwater heat exchanger cooling system.
- 24v-110Amp alternator each engine.
- Extra 12v-115Amp alternator.
- Volvo-Penta 900mm Interceptor trim system w/ auto trim.
- Dynamic Positioning System (DPS).
- Active Corrosion Protection system (ACP).
- Volvo-Penta Clear Wake Exhaust bypass system (EVC controlled).
- Groco raw water intake strainers & safety sea valves.
- Engine room blower & vent ducts.
- Engine room floor with FRP anti-skid.

- Gloss white engine room.
- Gloss white painted engines.
- Mylar-faced foam noise barrier.

FUEL SYSTEM

- (2) 263 USG diesel fuel tanks port and starboard.
- Dual Racor fuel filters
- (2) 2" Diesel deck fill plates.

120VAC ELECTRICAL SYSTEM

- Cummins/Onan 13.5KW generator including:
Dedicated start battery.

Water drop muffler.

Cooling water intake strainer.

Sound shield & Transfer switch.

- 50A shore power service with *Glendinning* Cablemaster & 85ft. cord.
- Polarization transformer with galvanic isolator.
- Illuminated main circuit breaker distribution panel.
- Digital AC system monitor
- 120V GFCI protected outlets in each cabin and engine room.
- 50amp, 3-bank battery charger
- Reverse cycle heat/air conditioning with 4 zones. One 10k BTU in the forward cabin, one 10k BTU in the master cabin, one 16k BTU in the galley and one 24k BTU in the main salon. Optional 6k BTU in crew quarters

12VDC ELECTRICAL SYSTEM

- (4) AGM Group 31 dedicated engine start batteries.
- (3) AGM 4D deep cycle ship's service batteries.
- (1) AGM Group 24 generator starting battery.
- Remote control battery switches with controls at helm.
- Manual emergency battery crossover switch.
- Illuminated main circuit breaker distribution.
- Digital battery monitor.
- High-output, efficient LED lighting throughout boat.
- Dimmers in the forward cabin, galley, lower lounge, main salon, and cockpit.
- Marine-grade, UL & ABYC standard tinned copper wire throughout.
- 12VDC USB chargers at helm and in all cabins

ENTERTAINMENT MEDIA

- *Fusion Apollo* Stereo System with Bluetooth. Controls at helm and cockpit, four speakers: two in the main salon, two in the cockpit.
- 10" *Fusion* Subwoofer
- *Fusion* Amplifier
- 32" LED TV in the main salon
- 32" LED TV in the master stateroom
- 24" LED TV in the forward stateroom
- HDMI cables run from each TV to the guest stateroom aft, below the helm.

WASTE DISPOSAL

- Polyethylene holding tank with a 70-gallon capacity.
- *Jabsco* Quiet Flush freshwater MSD in guest head
- *Tecma* Eco MSD in master head
- Diaphragm waste pump on holding tank.

FRESH WATER SYSTEM

- Water capacity 160 gals.
- Stainless steel, 20-gallon water heater operates on 120-VAC
- Dual/Redundant 12V water pumps.
- Freshwater spigot in the engine room.
- Transom shower, hot and cold.
- Shore water inlet with a filter.

MAIN SALON

- "L" settee to starboard, 5" foam cushions, with storage and Sabre tool drawer beneath.
- High Gloss finished table with hi-low pedestal and angled slide mechanism; lowers to coffee table height.
- Sound deadening, soft headliner panels.
- Raised mates L-shaped settee to port of helm
- Hinged stainless steel door to cockpit
- Electrically operated window aft of L-settee
- Deep chart table forward of L settee seat port
- Fiddles at nav station

GALLEY

- Solid surface countertop.
- Stainless steel under mount sink with cover and pull-out faucet
- Soap dispenser
- *Isotherm* stainless steel stand-up refrigerator (top) and freezer
- Touch control induction cooktop
- Convection microwave with stainless steel face
- Drawers and storage lockers below the counter.
- Built-in waste basket. Recycle bin below steps.
- Hull side deadlight over sink.

MASTER STATEROOM AMIDSHIPS

- Island berth athwartship layout with 9" foam mattress and laminated trim.
- Hull side deadlight over headboard
- Shoji style passageway and closet doors
- Shoji style portlight screen panels
- Cherry hull ceilings.
- Drawers in foot & sides of berth.
- Drawers located in bulkhead aft of berth.
- (2) hanging lockers fore and aft of bed
- Teak and holly sole.
- Sound deadening soft headliner panels.
- Sliding door to master head compartment.

MASTER HEAD

- Private access from master stateroom
- Custom tile in WC and shower sole
- Recessed porcelain sink
- High gloss finish over the solid cherry counter.
- Vanity cabinet below sink
- Storage outboard
- Mirror above vanity, cherry framed
- Separate shower stall with clear swing door
- Electric shower sump pump
- Opening port to side deck
- Deck hatch with blind/screen overhead
- Ventilation blower
- Stainless steel towel bars

VIP/FORWARD STATEROOM

- Spacious island berth, with 9" mattress and laminated trim.
- Cherry hull ceilings.
- Drawers under berth, A/C return grille beside.
- Storage lockers, drawers, and shelves.
- Teak and holly sole.

- Sound deadening soft headliner panels
- Private access to the forward head and shower

VIP/FORWARD HEAD

- Stainless steel under mount sink.
- Shower stall with seat and locker outboard.
- Hot and cold pressure water
- Electric shower sump pump.
- Storage lockers.
- Solid surface vanity top with bull nose.
- Towel bars
- Soap dispenser
- Cherry wood trimmed mirror over the sink.
- Ventilation blower.

UTILITY ROOM

- Work space below salon with work bench, drawers, and shelves
- Optional crew quarters with 6" berth mattress and head unit available.

DÉCOR

- Varnished cherry interior finish.
- Screens on all opening ports.
- *Ocean Air* screen/blinds on deck hatches.
- Pleated blinds on side windows and side door
- Drapes on curved aft windows
- Accord shades on opening ports except for the master stateroom
- Dovetailed, varnished maple drawer boxes

SAFETY

- Single *Kahlenberg* chrome trumpet horn with compressor
- Fire extinguishers, (5) at 2 1/2 lbs.
- *Marelon* sea valves on all thru-hull fittings below waterline.
- Bonding system to safeguard against galvanic corrosion.
- Automatic fire extinguishing discharge system in engine space with override.
- (3) Automatic 12V electric bilge pumps.
- (3) High water switches and alarm.

Specifications Subject to Change without Notice

Revised: February 5, 2024

SABRE 48 Salon Express/Fly Bridge



2025 MODEL YEAR OPTIONS Price list #S48SE/FB2025

Revised 02/09/24

FIBERGLASS		Option	
Anti-skid color	CX0019		
Light hull & deck colors other than Sport Yacht White and Sabre White	CX0003		
Dark hull colors	CX0002		

EXTERIOR AND DECK			
Release Marine Teak High Gloss Cockpit Table	CX0089		
Flush-Mount, Pop-Up Dinghy Chocks Installed in Hydraulic Swim Platform	CX0088		
Electric sunroof with sunscreen in lieu of standard two (2) pilot hatches	CX0080		
FRP molded electronics mast for sedan hardtop (Includes 3-pc. platform weldments)	STD		
FRP radar mast for fly bridge	CX0060		
Teak deck on fixed FRP swim platform	CX0057		
Teak decking in aft cockpit including steps	CX0055		
FRP cabinet with electric grill, sink, and fridge below. *Specify Corian	CX0041		
Fly Bridge with spiral stairs, U-shaped settee, folding high table, 1 Stidd helm seat and duplicate engine controls	CX0001V		

MECHANICAL			
Volvo IPS-800 in lieu of std. IPS-700 (SE Model)	CM0702		
Seakeeper 9 installed in engine room	CM0093		
Seakeeper 6 installed in engine room	CM0092		
Hydraulic swim platform with teak	CM0082		
Hydraulic swim platform without teak	CM0081		
Freedom Lift dinghy lift	CM0080		
Fuel Polishing System	CM0075		
AC in utility room with adjustable/closable vent into engine room	CM0042		
Single Seagull water purifier on optional icemaker	CM0035		
Single Seagull water purifier on galley cold water plumbed to separate spigot	CM0034		
Fresh water wash down forward	CM0032		
Reverso oil change system	CM0006		
Install ElectroStrainer System	48-23-010		

ELECTRICAL			
Garmin Surround View System for S48SE/FB	CE0056		
Volvo-Penta Assisted Docking System for S48SE/FB	CE0055		
Volvo Active Ride for S48SE/FB	CE0050		
Auto Generator Start	CE0043		
2nd Shorepower inlet at bow with 25 foot cord set	CE0042		
Underwater LED light package (3) at transom. Full color spectrum	CE0038		
Install Sabre electronics prewire harness (FB)	CE0030FB		
Install Sabre electronics prewire harness	CE0030		
Central vac system with (2) outlets and a 32' expandable hose	CE0025		

Kahlenberg horn controller M-485A	CE0023FB		
Kahlenberg horn controller M-485A	CE0023		
Kahlenberg triple chrome horns	CE0021		
Kahlenberg dual chrome horns	CE0020		
Stand alone 3000W inverter and separate 100A battery charger	CE0016		
Searchlight dual beam mounted on flybridge	CE0008FB		
Searchlight dual beam mounted on hardtop mast	CE0008		

FWD CABIN & HEAD			
Scissor berth in VIP cabin	CI0015		

MAIN SALON & HELM			
Set of 2 ottoman with a cherry base and fabric cover	CI0023		
Icemaker in cabinet below helm seats	CI0022		

UTILITY ROOM/CREW QUARTERS			
Crew quarters with head in lieu of standard utility room	CI0012		
Splendide washer & separate dryer sidexside in utility room w/two drawers below	CM0041		